

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3804871	((enabl\$ or activat\$ or (turn adj on)) or (disabl\$ or deactivat\$ or (turn adj off)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:19
L2	103	1 near5 (auto adj precharge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:37
L3	2	(access adj request) with 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:22
L4	3	(access adj request) same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:25
L5	2	(access adj instruction) same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:25
L6	4	(access adj request) with (auto adj precharge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L7	220	((access adj request) or (read or write)) with (auto adj precharge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L8	184	((access adj request) or (read or write)) near5 (auto adj precharge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:36
L9	40	1 near5 (auto adj precharge) near5 ((access adj request) or (read or write))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:49
L10	24	9 and disable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:58

L11	28	9 and disabl\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/06 14:58
-----	----	----------------	---	----	----	------------------



US Patent & Trademark Office

[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

(((enabl*<or> activat*<or> (turn<near/1>on)) <or> (disabl*
deactivat*<or> (turn<near/1>off)))<and>precharge

SEARCH

Nothing Found

Your search for **(((enabl*<or> activat*<or> (turn<near/1>on)) <or> (disabl*<or>deactivat*<or> (turn<near/1>off)))<and>precharge** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Try our New Full-text Search Prototype **GO**
[Help](#)

- 1) Enter a single keyword, phrase, or Boolean expression.
Example: acoustic imaging (means the phrase acoustic imaging plus any stem variations)
- 2) Limit your search by using search operators and field codes, if desired.
Example: optical <and> (fiber <or> fibre) <in> ti
- 3) Limit the results by selecting Search Options.
- 4) Click Search. See [Search Examples](#)

```
((enabl*  
(turn<near/1>on)) <or>  
(disabl*  
(turn<near/1>off)))
```

Start Search

Clear

Note: This function returns plural and suffixed forms of the keyword(s).

Search operators: <and> <or> <not> <in> [More](#)

Field codes: au (author), ti (title), ab (abstract), jn (publication name), de (index term) [More](#)

Search Options:

Select publication types:

- ☒ IEEE Journals
- ☒ IEE Journals
- ☒ IEEE Conference proceedings
- ☒ IEE Conference proceedings
- ☒ IEEE Standards

Select years to search:

 From year: to

Organize search results by:

 Sort by:
 In: order

 List Results per page

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved



Welcome
United States Patent and Trademark Office



» Se

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)

Quick Links

Welcome to IEEE Xplore®

- Home
- What Can I Access?
- Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards


Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- Join IEEE
- Establish IEEE Web Account
- Access the IEEE Member Digital Library

IEEE Enterprise

-  Access the
IEEE Enterprise
File Cabinet

 Print Format

Your search matched **42** of **1108362** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

((enabl*<or> activat*<or> (turn<near/1>on)) <or> (di

Search

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 The charge-share modified (CSM) precharge-level architecture for high speed and low-power ferroelectric memory

Fujisawa, H.; Sakata, T.; Sekiguchi, T.; Nagashima, O.; Kimura, K.; Kajigaya, Solid-State Circuits, IEEE Journal of , Volume: 32 , Issue: 5 , May 1997
Pages:655 - 661

[\[Abstract\]](#) [\[PDF Full-Text \(220 KB\)\]](#) **IEEE JNL**

2 The charge-share modified precharge-level (CSM) architecture for high speed and low-power ferroelectric memory

Fujisawa, H.; Sakata, T.; Sekiguchi, T.; Nagashima, O.; Kimura, K.; Kajigaya, VLSI Circuits, 1996. Digest of Technical Papers., 1996 Symposium on , 13-15 1996

Pages:50 - 51

[\[Abstract\]](#) [\[PDF Full-Text \(164 KB\)\]](#) **IEEE CNF**

3 A 1-Gb SDRAM with ground-level precharged bit line and nonboosted 2.1-V word line

Eto, S.; Matsumiya, M.; Takita, M.; Ishii, Y.; Nakamura, T.; Kawabata, K.; Ka
H.; Kitamoto, A.; Ikeda, T.; Koga, T.; Higashiho, M.; Serizawa, Y.; Irabashi, k
Tsuboi, O.; Yokoyama, Y.; Taguchi, M.;
Solid-State Circuits, IEEE Journal of , Volume: 33 , Issue: 11 , Nov. 1998
Pages:1697 - 1702

[\[Abstract\]](#) [\[PDF Full-Text \(168 KB\)\]](#) **IEEE JNL**

4 Passive precharge and rippled power logic (PPRPL)

Schaevitz, S.B.; Lin, C.;
Low Power Electronics and Design, 1999. Proceedings. 1999 International

Symposium on , 16-17 Aug. 1999
Pages:249 - 251

[\[Abstract\]](#) [\[PDF Full-Text \(196 KB\)\]](#) [IEEE CNF](#)

5 Use of selective precharge for low-power on the match lines of controllable memories

Zukowski, C.A.; Shao-Yi Wang;

Memory Technology, Design and Testing, 1997. Proceedings., International Workshop on , 11-12 Aug. 1997

Pages:64 - 68

[\[Abstract\]](#) [\[PDF Full-Text \(380 KB\)\]](#) [IEEE CNF](#)

6 Charge-transferred presensing and efficiently precharged negative word-line schemes for low-voltage DRAMs

Jae-Yoon Sim; Young-Gu Gang; Kyu-Nam Lim; Joong-Yong Choi; Sang-Keun Kwak; Ki-Chul Chun; Jei-Hwan Yoo; Dong-Il Seo; Soo-In Cho;

VLSI Circuits, 2003. Digest of Technical Papers. 2003 Symposium on , 12-14 : 2003

Pages:289 - 292

[\[Abstract\]](#) [\[PDF Full-Text \(375 KB\)\]](#) [IEEE CNF](#)

7 Configurations for I_{DDQ} -testable PLAs

Sachdev, M.; Kerkhoff, H.;

Design & Test of Computers, IEEE , Volume: 16 , Issue: 2 , April-June 1999

Pages:58 - 65

[\[Abstract\]](#) [\[PDF Full-Text \(116 KB\)\]](#) [IEEE JNL](#)

8 A full bit prefetch DRAM sensing circuit

Sunaga, T.;

Solid-State Circuits, IEEE Journal of , Volume: 31 , Issue: 6 , June 1996

Pages:767 - 772

[\[Abstract\]](#) [\[PDF Full-Text \(736 KB\)\]](#) [IEEE JNL](#)

9 A full bit prefetch architecture for synchronous DRAM's

Sunaga, T.; Hosokawa, K.; Nakamura, Y.; Ichinose, M.; Moriwaki, A.; Kakimi, Kato, N.;

Solid-State Circuits, IEEE Journal of , Volume: 30 , Issue: 9 , Sept. 1995

Pages:998 - 1005

[\[Abstract\]](#) [\[PDF Full-Text \(648 KB\)\]](#) [IEEE JNL](#)

10 Large-signal 2T, 1C DRAM cell: signal and layout analysis

Henkels, W.H.; Hwang, W.;

Solid-State Circuits, IEEE Journal of , Volume: 29 , Issue: 7 , July 1994

Pages:829 - 832

[\[Abstract\]](#) [\[PDF Full-Text \(356 KB\)\]](#) [IEEE JNL](#)

11 A single-bit-line cross-point cell activation (SCPA) architecture for ultra-low-power SRAM's

Ukita, M.; Murakami, S.; Yamagata, T.; Kuriyama, H.; Nishimura, Y.; Anami, .
Solid-State Circuits, IEEE Journal of , Volume: 28 , Issue: 11 , Nov. 1993
Pages:1114 - 1118

[\[Abstract\]](#) [\[PDF Full-Text \(472 KB\)\]](#) [IEEE JNL](#)

12 Optimized sensing scheme of DRAMs

Kraus, R.; Hoffmann, K.;
Solid-State Circuits, IEEE Journal of , Volume: 24 , Issue: 4 , Aug. 1989
Pages:895 - 899

[\[Abstract\]](#) [\[PDF Full-Text \(380 KB\)\]](#) [IEEE JNL](#)

13 Trends in low-power RAM circuit technologies

Itoh, K.; Sasaki, K.; Nakagome, Y.;
Low Power Electronics, 1994. Digest of Technical Papers., IEEE Symposium , :
Oct. 1994
Pages:84 - 87

[\[Abstract\]](#) [\[PDF Full-Text \(336 KB\)\]](#) [IEEE CNF](#)

14 Radiation hardening of dynamic memories by the use of a new dum cell concept

Schleifer, H.; v.d. Ropp, T.; Reczek, W.;
Memory Technology, Design and Testing, 1994., Records of the IEEE Internati
Workshop on , 8-9 Aug. 1994
Pages:126 - 129

[\[Abstract\]](#) [\[PDF Full-Text \(192 KB\)\]](#) [IEEE CNF](#)

15 A coefficient access control for low power FFT processors

Ma, Y.; Wanhammar, L.;
Circuits and Systems, 1999. 42nd Midwest Symposium on , Volume: 1 , 8-11
1999
Pages:512 - 514 vol. 1

[\[Abstract\]](#) [\[PDF Full-Text \(160 KB\)\]](#) [IEEE CNF](#)

[1](#) [2](#) [3](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online](#)
[Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

 Your search matched **42** of **1108362** documents.

 A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.
Refine This Search:

You may refine your search by editing the current search expression or entering new one in the text box.

 (((enabl*
☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard
16 An efficient technique to improve NORA CMOS testing
Nam Ling; Bayoumi, M.;

 Circuits and Systems, IEEE Transactions on , Volume: 34 , Issue: 12 , Dec 1991
 Pages:1609 - 1611

[\[Abstract\]](#) [\[PDF Full-Text \(384 KB\)\]](#) **IEEE JNL**
17 A sub-130-nm conditional keeper technique
Alvandpour, A.; Krishnamurthy, R.K.; Soumyanath, K.; Borkar, S.Y.;

 Solid-State Circuits, IEEE Journal of , Volume: 37 , Issue: 5 , May 2002
 Pages:633 - 638

[\[Abstract\]](#) [\[PDF Full-Text \(266 KB\)\]](#) **IEEE JNL**
18 A bitline leakage compensation scheme for low-voltage SRAMs
Agawa, K.; Hara, H.; Takayanagi, T.; Kuroda, T.;

 Solid-State Circuits, IEEE Journal of , Volume: 36 , Issue: 5 , May 2001
 Pages:726 - 734

[\[Abstract\]](#) [\[PDF Full-Text \(188 KB\)\]](#) **IEEE JNL**
19 An 80-MOPS-peak high-speed and low-power-consumption 16-b digital signal processor
Kabuo, H.; Okamoto, M.; Tanaka, I.; Yasoshima, H.; Marui, S.; Yamasaki, M.; Sugimura, T.; Ueda, K.; Ishikawa, T.; Suzuki, H.; Asahi, R.;

 Solid-State Circuits, IEEE Journal of , Volume: 31 , Issue: 4 , April 1996
 Pages:494 - 503

[\[Abstract\]](#) [\[PDF Full-Text \(1804 KB\)\]](#) **IEEE JNL**

20 High performance ferroelectric memory with grounded-plate PMOS cell technology

Chung, Y.;

Circuits, Devices and Systems, IEE Proceedings [see also IEE Proceedings G-Circuits, Devices and Systems] , Volume: 150 , Issue: 3 , 6 June 2003

Pages:217 - 226

[\[Abstract\]](#) [\[PDF Full-Text \(693 KB\)\]](#) IEE JNL

21 Dynamic latch for high speed GaAs domino circuits

Nary, K.R.; Long, S.I.;

Electronics Letters , Volume: 28 , Issue: 1 , 2 Jan. 1992

Pages:36 - 37

[\[Abstract\]](#) [\[PDF Full-Text \(164 KB\)\]](#) IEE JNL

22 Charge recycling sense amplifier based logic: securing low power security ICs against DPA [differential power analysis]

Tiri, K.; Verbaauwhede, I.;

Solid-State Circuits Conference, 2004. ESSCIRC 2004. Proceeding of the 30th European , 21-23 Sept. 2004

Pages:179 - 182

[\[Abstract\]](#) [\[PDF Full-Text \(388 KB\)\]](#) IEEE CNF

23 Fixed-load energy recovery memory for low power

Joohee Kim; Ziesler, C.H.;

VLSI, 2004. Proceedings. IEEE Computer society Annual Symposium on , 19-2 Feb. 2004

Pages:145 - 150

[\[Abstract\]](#) [\[PDF Full-Text \(389 KB\)\]](#) IEEE CNF

24 Reducing energy dissipation of video memory by adaptive bit-width compression

Moshnyaga, V.G.;

Electronics, Circuits and Systems, 2002. 9th International Conference on , Vol 2 , 15-18 Sept. 2002

Pages:831 - 834 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(491 KB\)\]](#) IEEE CNF

25 DRAM specific approximation of the faulty behavior of cell defects

Al-Ars, Z.; van de Goor, A.J.;

Test Symposium, 2002. (ATS '02). Proceedings of the 11th Asian , 18-20 Nov 2002

Pages:98 - 103

[\[Abstract\]](#) [\[PDF Full-Text \(320 KB\)\]](#) IEEE CNF

26 Reducing energy consumption of video memory by bit-width compression

Moshnyaga, V.G.; Inoue, K.; Fukagawa, M.;

Low Power Electronics and Design, 2002. ISLPED '02. Proceedings of the 2002 International Symposium on , 12-14 Aug. 2002
Pages:142 - 147

[\[Abstract\]](#) [\[PDF Full-Text \(669 KB\)\]](#) [IEEE CNF](#)

27 A well-synchronized sensing/equalizing method for sub-1.0 V oper. advanced DRAMs

Ooishi, T.; Asakura, M.; Tomishima, S.; Hidaka, H.; Arimoto, K.; Fujishima, K
VLSI Circuits, 1993. Digest of Technical Papers. 1993 Symposium on , 19-21 | 1993

Pages:81 - 82

[\[Abstract\]](#) [\[PDF Full-Text \(304 KB\)\]](#) [IEEE CNF](#)

28 Embedded CMOS SRAM for an ASIC implementation of a satellite communication transmultiplexer

Lee, C.S.; Smith, E.D.; Kwatra, S.C.; Jamali, M.M.; Eldin, A.G.;
Circuits and Systems, 1993., Proceedings of the 36th Midwest Symposium on 18 Aug. 1993

Pages:1373 - 1377 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(372 KB\)\]](#) [IEEE CNF](#)

29 A 9 ns, low standby power CMOS PLD with a single-poly EPROM cel

Frake, S.; Knecht, M.; Cacharelis, P.; Hart, M.; Manley, M.; Zeman, R.; Ramu
Solid-State Circuits Conference, 1989. Digest of Technical Papers. 36th ISSCC 1989 IEEE International , 15-17 Feb. 1989

Pages:230 - 231, 346

[\[Abstract\]](#) [\[PDF Full-Text \(680 KB\)\]](#) [IEEE CNF](#)

30 Sorption of SF₆ and SF₆ decomposition products by activated alumi and molecular sieve 13X

Piemontesi, M.; Niemeyer, L.;
Electrical Insulation, 1996., Conference Record of the 1996 IEEE International Symposium on , Volume: 2 , 16-19 June 1996

Pages:828 - 838 vol.2

[\[Abstract\]](#) [\[PDF Full-Text \(860 KB\)\]](#) [IEEE CNF](#)

[Prev](#) [1](#) [2](#) [3](#) [Next](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved

IEEE HOME | SEARCH IEEE | SHOP | WEB ACCOUNT | CONTACT IEEE



Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®
 RELEASE 1.8

 Welcome
 United States Patent and Trademark Office


>> Se.

[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)

Quick Links

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **42** of **1108362** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

Search

☐ Check to search within this result set
Results Key:**JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**31 Trends in low-power RAM circuit technologies***Itoh, K.; Sasaki, K.; Nakagome, Y.;*

Proceedings of the IEEE , Volume: 83 , Issue: 4 , April 1995

Pages:524 - 543

[\[Abstract\]](#) [\[PDF Full-Text \(1504 KB\)\]](#) **IEEE JNL**
32 A 65 mW 128K EB-ROM*Kiuchi, K.; Ieda, N.; Takeya, K.; Baba, T.;*

Solid-State Circuits, IEEE Journal of , Volume: 14 , Issue: 5 , Oct 1979

Pages:855 - 859

[\[Abstract\]](#) [\[PDF Full-Text \(928 KB\)\]](#) **IEEE JNL**
33 A 256K DRAM with descrambled redundancy test capability*Kantz, D.; Goetz, J.R.; Bender, R.; Bahring, M.; Wawersig, J.; Meyer, W.; Mui W.;*

Solid-State Circuits, IEEE Journal of , Volume: 19 , Issue: 5 , Oct 1984

Pages:596 - 602

[\[Abstract\]](#) [\[PDF Full-Text \(1032 KB\)\]](#) **IEEE JNL**
34 A 256K CMOS SRAM with variable impedance data-line loads*Yamamoto, S.; Tanimura, N.; Nagasawa, K.; Meguro, S.; Yasui, T.; Minato, O Masuhara, T.;*

Solid-State Circuits, IEEE Journal of , Volume: 20 , Issue: 5 , Oct 1985

Pages:924 - 928

[\[Abstract\]](#) [\[PDF Full-Text \(840 KB\)\]](#) **IEEE JNL**

35 **A fast 32 K/spl times/8 CMOS static RAM with address transition detection**

Chen, C.-W.; Peng, J.-P.; Shyu, M.-Y.S.; Amundson, M.; Yu, J.C.;
Solid-State Circuits, IEEE Journal of , Volume: 22 , Issue: 4 , Aug 1987
Pages:533 - 537

[\[Abstract\]](#) [\[PDF Full-Text \(712 KB\)\]](#) IEEE JNL

36 **Reducing energy dissipation of frame memory by adaptive bit-width compression**

Moshnyaga, V.G.;
Circuits and Systems for Video Technology, IEEE Transactions on , Volume: 12 , Issue: 8 , Aug. 2002
Pages:713 - 718

[\[Abstract\]](#) [\[PDF Full-Text \(269 KB\)\]](#) IEEE JNL

37 **A study of hot-carrier-induced mismatch drift: a reliability issue for VLSI circuits**

Yoonjong Huh; Yungkwon Sung; Kang, S.M.;
Solid-State Circuits, IEEE Journal of , Volume: 33 , Issue: 6 , June 1998
Pages:921 - 927

[\[Abstract\]](#) [\[PDF Full-Text \(216 KB\)\]](#) IEEE JNL

38 **Array address translation for SDRAM-based video processing applications**

Hansoo Kim; In-Cheol Park;
Electronics Letters , Volume: 35 , Issue: 22 , 28 Oct. 1999
Pages:1929 - 1931

[\[Abstract\]](#) [\[PDF Full-Text \(352 KB\)\]](#) IEE JNL

39 **A 1.5V 1.7ns 4k /spl times/ 32 SRAM with a fully-differential auto-power-down current sense amplifier**

Wicht, B.; Larguier, J.-Y.; Schmitt-Landsiedel, D.;
Solid-State Circuits Conference, 2003. Digest of Technical Papers. ISSCC. 200 IEEE International , 2003
Pages:462 - 508 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(406 KB\)\]](#) [\[Extended Object\]](#) IEEE CNF

40 **A 300 MHz multi-banked eDRAM macro featuring GND sense, bit-line twisting and direct reference cell write**

Barth, J.; Anand, D.; Dreibelbis, J.; Nelson, E.;
Solid-State Circuits Conference, 2002. Digest of Technical Papers. ISSCC. 200 IEEE International , Volume: 1 , 3-7 Feb. 2002
Pages:156 - 157 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(393 KB\)\]](#) IEEE CNF

41 **Adaptive bit-width compression for low-energy frame memory desi**
Moshnyaga, V.G.;

Signal Processing Systems, 2001 IEEE Workshop on , 26-28 Sept. 2001
Pages:185 - 192

[\[Abstract\]](#) [\[PDF Full-Text \(336 KB\)\]](#) [IEEE CNF](#)

42 A CMOS/SOS process for high reliability, radiation hard, high speed memory and logic IC's

Heuner, R.C.; Hwang, M.S.; Bismarck, O.;

SOS/SOI Technology Conference, 1989., 1989 IEEE , 3-5 Oct. 1989

Pages:177 - 178

[\[Abstract\]](#) [\[PDF Full-Text \(132 KB\)\]](#) [IEEE CNF](#)

[Prev](#) [1](#) [2](#) [3](#)

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) |
[New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved